



Low back lounge chair with upholstered seat and backrest, and a fourstar aluminum central swivel base, self-return system and available in polished aluminum, white or black. Optional tilting mechanism.



0,47



18,5



1

	Back height	Seat height	Width	Depth
Measures mm.	800	430	720	720

Frame	4-star aluminum central swivel base with self-return system and finished in polished aluminum, white or black. Polished aluminum plate fixes the base to the seat. Central column is a 52 mm. aluminum tube with integrated self-return. Polypropylene glides.
Seat	Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 25 kg/m3 and 40 kg/m3.
Back	Beech plywood shell with flexible flame retardant foam with density between 25 kg/m3 and 40 kg/m3.
Arms	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.
Accessories	Polypropylene, felt or steel glides.

Leather

Leather

L1 High grade cow leather

L3 Polished full grain leather

L6 Aniline leather batique-effect.  
Scandinavian cattle.

Fabrics

Fabrics / Telas

1 Jacquard One  
Jacquard Three  
Sand  
Era  
Gravity  
Rivet  
Urban

2 Jacquard Two

3 Jacquard Four  
Medley  
Revive 1  
Maglia  
Main Line Flax  
Loom Two

4 Jacquard 4 Special  
Hemp  
Nexus  
Oxygen  
Floyd  
Remix 2  
Heritage  
Savane  
Loom Three  
Loom Four

5 Silk  
Synergy  
Step  
Step Melange  
Messenger 5  
Blazer  
Melange Nap  
Glow

6 Capture  
Fiord  
Tonus 4  
Divina 3  
Lopi

7 Canvas 2  
Rime

8 Capture  
Fiord  
Tonus 4  
Divina 3  
Lopi

9 Divina MD  
Divina Melange 3  
Hallingdal 65  
Steelcut Trio 3

Faux Leather / Ecopiel

1 Valencia  
2 Silvertex  
4 Dolce  
6 Ledger

Aluminum  
finish



Resistance  
and  
Quality

Indoor Air Quality-Advantage Gold  
ISO 9001  
UNE-EN 16139

Fireproof

BKZ 5.2  
BS 5852 Part 2 Crib 5  
California Technical Bulletin 117  
UNE-EN 1021-1 & 2  
UNI 9175 (class 1 IM)

Sustainability

ISO 14001  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard