

(see finishes and fabric card)





9











# DESCRIPTION

6


- (1) Integral Polyurethane (PU) seat and back moulded over steel plate 2 mm thickness.
- (2) Black ABS ending trim
- (3) Optional moulded aluminium arms in silver or polished finish.
- (4) Extruded aluminium central beam. Reinforced with internal frame
- (5) Moulded aluminium trim fixed by pressure and screwed. Available in silver and polished finishes.

1

4

- 6 Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes.
- (7) Black polypropylene (PP) cap
- 8 Polypropilene (PP) levellers. Support for floor fixing or lining up in back to back benches.
- (9) Seat for disable people (optional)

#### SIZES




0

(Passport Avant benches have an extra support leg for benches with more than 6 seats)

#### DIMENSIONS

Total height: from 165 to 329 cm. Maximum lenght 6 m (10 seats) Width: 95,5 cm

Seat depth: 43,2 cm





Optional finishes available for large projects only

Black

White

FRAME (finsihes)

Polished

90.79%

100%

RECYCLABLE

ALUMINIUM, STEEL & WOOD

00%

RECYCLABLE

PACKAGE AND THINNER

FREE

EASY

TO CLEAN AND MAINTAIN



#### MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.



#### PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.



#### TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.



#### USE

Quality and warranty. Long lasting. Replacements available.



#### DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.



por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

#### CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



#### STANDARDS

**PASSPORT** has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to:


- UNE-EN 1728:13. Domestic furniture Seating Test methods for the determination of strength and durability.
- UNE-EN 16139:2013. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE-EN 1022:05. Office furniture. Confident chair
- ANSI/BIFMA X5.4-2012. Lounge and Public Seating. Tests. American National Standard for Office Furnishings.
- B.S. 5852:2006. Evaluation of the ignitability of upholstered furniture.



#### DESCRIPTION

- (1) Steel 2 mm thickness seat and back. Seat includes vinyl upholstered foam (Optional) in steel benches only
- 2 Black ABS ending trim
- **3 Optional** moulded aluminium **arms** in silver or polished finish.
- (4) Extruded aluminium central beam. Reinforced with internal frame
- 5 Moulded aluminium trim fixed by pressure and screwed. Available in silver and polished finishes.
- 6 Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes.
- (7) Black polypropylene (PP) **cap**
- (8) Polypropilene (PP) levellers. Support for floor fixing or lining up in back to back benches.
- (9) Seat for disable people (optional)

### SIZES



(Passport Avant benches have an extra support leg for benches with more than 6 seats)

#### DIMENSIONS

Total height: from 165 to 329 cm. Maximum lenght 6 m (10 seats)

Total width: 95,5 cm

Seat width 48,5 cm

Seat depth: 43,2 cm

#### BACK AND SEAT (finsihes)



hite Orange Pistache Blue Grey
Optional finishes available for large projects only



Optional finishes available for large projects only

90.79%

MATERIAL

100%

RECYCLABLE

ALUMINIUM. STEEL & W00D

00%

RECYCLABLE

PACKAGE AND THINNER

FREE

EASY

TO CLEAN AND MAINTAIN



#### MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.



#### PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.



#### TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.



#### USE

Quality and warranty. Long lasting. Replacements available.



#### DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.



#### CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).




proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

#### STANDARDS

PASSPORT has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:


- UNE-EN 1728:13. Domestic furniture Seating Test methods for the determination of strength and durability.
- UNE-EN 16139:2013. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE-EN 1022:05. Office furniture. Confident chair
- ANSI/BIFMA X5.4-2012. Lounge and Public Seating. Tests. American National Standard for Office Furnishings.



## DESCRIPTION

- 1 Plywood 13 mm thickness **seat and back**
- 2 Black ABS ending trim
- **3** Optional moulded aluminium **arms** in silver or polished finish.
- (4) Extruded aluminium central beam. Reinforced with internal frame
- (5) Moulded aluminium trim fixed by pressure and screwed. Available in silver and polished finishes.
- 6 Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes.
- (7) Black polypropylene (PP) cap
- (8) Polypropilene (PP) levellers. Support for floor fixing or lining up in back to back benches.
- (9) Seat for disable people (optional)

#### SIZES



(Passport Avant benches have an extra support leg for benches with more than 6 seats)

#### DIMENSIONS

Total height: from 165 to 329 cm. Maximum lenght 6 m (10 seats) Total width: 94 cm Seat width 48,5 cm Seat depth: 43,2 cm

#### BACK AND SEAT (finsihes)



(see finishes and fabric card)



Optional finishes available for large projects only

90.79%

100%

ALUMINIUM, STEEL & WOOD

CYCLABLE

00%

RECYCLABLE

PACKAGE AND THINNER

FREE

EASY

TO CLEAN AND MAINTAIN



#### MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.



#### PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.



#### TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.



#### USE

Quality and warranty. Long lasting. Replacements available.



#### DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.



#### CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



#### STANDARDS

**PASSPORT** has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to:

- UNE-EN 1728:13. Domestic furniture Seating Test methods for the determination of strength and durability.
- UNE-EN 16139:2013. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE-EN 1022:05. Office furniture. Confident chair
- ANSI/BIFMA X5.4-2012. Lounge and Public Seating. Tests. American National Standard for Office Furnishings.

# For projects that require the **RESTING SEAT**, consult **SALES DEPARTMENT**.



## DESCRIPTION

- 1 Plywood 13 mm thickness **seat and back**
- 2 Black ABS ending trim
- **3** Optional moulded aluminium **arms** in silver or polished finish.
- (4) Extruded aluminium central beam. Reinforced with internal frame
- (5) Moulded aluminium trim fixed by pressure and screwed. Available in silver and polished finishes.
- 6 Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes.
- (7) Black polypropylene (PP) cap
- 8 Polypropilene (PP) levellers. Support for floor fixing or lining up in back to back benches.


#### FRAME (finsihes)







Optional finishes available for large projects only

SIZES











Auxiliary table 22 x 46 cm steel 5mm thickness plate, silver finish



Extruded aluminium central beam. Reinforced with internal frame.



Seat suitable for disable people 6 cm higher, moulded aluminium manufactured. Available in silver or polished frame. Different finishes for the seats.



Optional moulded aluminium arms in silver or polished finish.



Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes. Black polypropylene levelers.



Fix and line up system for face to face or back to back benches. 5 mm steel plate. Silver or polished finish. Please check  $n^0 8$  in the different bench finishes.